

Sim & McBurney

Patent and Trade Mark Agents

330 University Avenue
6th floor
Toronto, Canada
M5G 1R7

Telephone (416) 595-1155
Fax (416) 595-1163

Pfi
MICHAEL I. STEWART, B.Sc. (Hons.)
TONI POLSON ASHTON, LL.B.
KENNETH D. MCKAY, LL.B.
TIMOTHY M. LOWMAN, LL.B.
STEPHEN M. LANE, B.A.Sc.
PATRICIA A. RAE, Ph.D.
DAVID A. RUSTON, B.Sc. (EE)*
LOLA A. BARTOSZEWICZ, Ph.D.
ANDREW R.O. JONES, LL.B.
KIMBERLY A. MC MANUS, Ph.D.

LYNDA P.S. COVELLO, LL.M.
MATTHEW D. POWELL, B.Sc. (EE)*
JAIDIP CHATTERJEE, Ph.D.
MARCO M. CLEMENTONI, B.MATH.
MARLYE MONFISTON, LL.B.
LORRAINE M. FLECK, M.Sc.

SENIOR CONSULTANTS
PETER W. MCBURNEY, B.Sc.*
BRENDA L. BOARDMAN, B.A.
JOHN H. WOODLEY, B.Sc.*

TECHNICAL ASSISTANTS
RUPINDER HANS, J.D.
KENNETH K. MA, Ph.D.
KEIVAN E. RAZAVI, Ph.D.*
ASHLEE S. FROESE, B.A. (Hons.)
GENEVIEVE RICHARD, LL.B.

*Professional Engineer
*U.S. Patent Agent

Please Quote
or ref.

11788-7 MIS

Your ref. -

Writer's Direct Dial: **(416) 849-8400**

E-mail: **mistewart@sim-mcburney.com**

October 15, 2007

Via Courier

United States Patent and Trademark Office
Customer Service Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Dear Sirs:

RE: United States Patent Application No. 10/606,751
Applicant: Magdy Younes
Title: METHOD AND DEVICE FOR MONITORING AND
IMPROVING PATIENT-VENTILATOR INTERACTION

Please find enclosed a Supplemental Information Disclosure Statement and copies of the references listed therein with respect to each of the non-U.S. Patent references cited in the specification and in the International Search Report received on the corresponding International application.

Respectfully submitted,

Michael I. Stewart
Michael I. Stewart
Registration No. 24,973

M.I. Stewart:ddl
Enclosure

